## References

- Bock, R. D. and Aitkin, M. (1981). Marginal maximum likelihood estimation of item parameters: Application of an EM algorithm. *Psychometrika*, 46, 443–459.
- Cleveland, W. S. (1979). Robust locally weighted regression and smoothing scatterplots. Journal of the American Statistical Association, 74, 829–836.
- Craven, P. and Wahba, G. (1979). Smoothing noisy data with spline functions. Numerische Mathematik, 31, 377–390.
- Dempster, A. P., Laird, N. M., and Rubin, D. B. (1977). Maximum likelihood from incomplete data via the EM Algorithm. *Journal of the Royal Statistical Society*, Series B, **39**, 1–38.
- Dryden, I. L. and Mardia, K. V. (1998). *Statistical Shape Analysis*. Chichester: John Wiley & Sons.
- Falkner, F. T. (Ed.) (1960) Child Development: An International Method of Study. Basel: Karger.
- Gasser, T. and Kneip, A. (1995). Searching for structure in curve samples. Journal of the Americal Statistical Association, 90, 1179–1188.
- Gasser, T., Kneip, A., Ziegler, P., Largo, R., and Prader, A. (1990). A method for determining the dynamics and intensity of average growth. Annals of Human Biology, 17, 459–474.

- Glueck, S. and Glueck, E. (1950). Unraveling Juvenile Delinquency. New York: The Commonwealth Fund.
- Green, P. J. and Silverman, B. W. (1994). Nonparametric Regression and Generalized Linear Models: A Roughness Penalty Approach. London: Chapman and Hall.
- Harman, H. H. (1976). Modern Factor Analysis. Third edition revised. Chicago: University of Chicago Press.
- Hastie, T. and Tibshirani, R. (1993). Varying-coefficient models. Journal of the Royal Statistical Society, Series B, 55, 757–796.
- Hastie, T., Buja, A., and Tibshirani, R. (1995). Penalized discriminant analysis. Annals of Statistics, 23, 73–102.
- Hermanussen, M., Thiel, C., von Büren, E., de los Angeles Rol. de Lama, M., Pérez Romero, A., Ariznaverreta Ruiz, C., Burmeister, J., and Tresguerres, J. A. F. (1998). Micro and macro perspectives in auxology: Findings and considerations upon the variability of short term and individual growth and the stability of population derived parameters. Annals of Human Biology, 25, 359–395.
- Johnson, R. A. and Wichern, D. W. (2002). *Applied Multivariate Statistical Analysis*. Fifth edition. New Jersey: Prentice Hall.
- Kneip, A. and Gasser, T. (1992). Statistical tools to analyze data representing a sample of curves. Annals of Statistics, 20, 1266–1305.
- Kneip, A., Li, X., MacGibbon, B., and Ramsay, J. O. (2000). Curve registration by local regression. *Canadian Journal of Statistics*, 28, 19–30.
- Leth-Steenson, C., King Elbaz, Z., and Douglas, V. I. (2000). Mean response times, variability, and skew in the responding of ADHD children: A response time distributional approach. Acta Psychologica, 104, 167–190.
- Leurgans, S. E., Moyeed, R. A., and Silverman, B. W. (1993). Canonical correlation analysis when the data are curves. *Journal of the Royal Statistical Society*, Series B, 55, 725–740.
- Lord, F. M. (1980) Application of Item Response Theory to Practical Testing Problems. Hillsdale, N.J.: Erlbaum.
- Lord, F. M. and Novick, M. R. (1968). Statistical Theories of Mental Test Scores. Reading, Mass.: Addison-Wesley.
- Malfait, N., Ramsay, J. O., and Froda, S. (2001). The historical functional linear model. McGill University: Unpublished manuscript.

- Mardia, K. V., Kent, J. T., and Bibby, J. M. (1979). *Multivariate Analysis*. New York: Academic Press.
- Ramsay, J. O. (1995). A similarity-based smoothing approach to nondimensional item analysis. *Psychometrika*, **60**, 323–339.
- Ramsay, J. O. (1996a). A geometrical approach to item response theory. Behaviormetrika, 23, 3–17.
- Ramsay, J. O. (1996b). Principal differential analysis: Data reduction by differential operators. *Journal of the Royal Statistical Society*, Series B, 58, 495–508.
- Ramsay, J. O. (1998). Estimating smooth monotone functions. Journal of the Royal Statistical Society, Series B, 60, 365–375.
- Ramsay, J. O. (2000). Functional components of variation in handwriting. Journal of the American Statistical Association, 95, 9–15.
- Ramsay, J. O. and Bock, R. D. (2002). Functional data analyses for human growth. McGill University: Unpublished manuscript.
- Ramsay, J. O. and Dalzell, C. (1991). Some tools for functional data analysis (with discussion). *Journal of the Royal Statistical Society*, Series B, 53, 539–572.
- Ramsay, J. O. and Li, X. (1998). Curve registration. Journal of the Royal Statistical Society, Series B, 60, 351–363.
- Ramsay, J. O. and Silverman, B. W. (1997). Functional Data Analysis. New York: Springer-Verlag.
- Ramsay, J. O., Bock, R. D., and Gasser, T. (1995). Comparison of height acceleration curves in the Fels, Zurich, and Berkeley growth data. *Annals of Human Biology*, 22, 413–426.
- Rice, J. A. and Silverman, B. W. (1991). Estimating the mean and covariance structure nonparametrically when the data are curves. *Journal* of the Royal Statistical Society, Series B, **53**, 233–244.
- Roche, A. F. (1992). Growth, Maturation and Body Composition: The Fels Longitudinal Study 1929–1991. Cambridge: Cambridge University Press.
- Rossi, N. (2001). Nonparametric Estimation of Item Response Functions Using the EM Algorithm. M.A. thesis, Department of Psychology, McGill University.
- Rossi, N., Wang, X., and Ramsay, J. O. (2002). Nonparametric item response function estimates with the EM algorithm. McGill University: Unpublished manuscript.

- Sampson, R. J. and Laub, J. H. (1993). Crime in the Making: Pathways and Turning Points Through Life. Cambridge, Mass.: Harvard University Press.
- Shepstone, L. (1998). *Patterns of Osteoarthritic Bone Change*. Ph.D. thesis, University of Bristol.
- Shepstone, L., Rogers, J., Kirwan, J., and Silverman, B. W. (1999). The shape of the distal femur: A palaeopathological comparison of eburnated and non-eburnated femora. *Annals of the Rheumatic Diseases*, 58, 72–78.
- Shepstone, L., Rogers, J., Kirwan, J., and Silverman, B. W. (2001). The shape of the intercondylar notch of the human femur: A comparison of osteoarthritic and non-osteoarthritic bones from a skeletal sample. *Annals of the Rheumatic Diseases*, **60**, 968–973.
- Silverman, B. W. (1982). On the estimation of a probability density function by the maximum penalized likelihood method. Annals of Statistics, 10, 795–810.
- Silverman, B. W. (1985). Some aspects of the spline smoothing approach to non-parametric regression curve fitting (with discussion). Journal of the Royal Statistical Society, Series B, 47, 1–52.
- Silverman, B. W. (1995). Incorporating parametric effects into functional principal components analysis. *Journal of the Royal Statistical Society*, Series B, 57, 673–689.
- Silverman, B. W. (1996). Smoothed functional principal components analysis by choice of norm. Annals of Statistics, 24, 1–24.
- Simonoff, J. S. (1996). *Smoothing Methods in Statistics*. New York: Springer-Verlag.
- Thalange, N. K., Foster, P. J., Gill, M. S., Price, D. A., and Clayton, P. E. (1996). Model of normal prepubertal growth. Archives of Disease in Childhood, 75, 427–431.
- Tuddenham, R. D. and Snyder, M. M. (1954). Physical growth of California boys and girls from birth to eighteen years. University of California Publications in Child Development 1, 183–364.
- Wang, X. (1993). Combining the Generalized Linear Model and Spline Smoothing to Analyze Examination Data. M.Sc. thesis, Department of Statistics, McGill University.
- Whittaker, E. (1923). On a new method of graduation. Proceedings of the Edinburgh Mathematical Society, 41, 63–75.

## Index

2PL model, 135 3PL model, 136 ability space curve, 132–135 acceleration of stature, 86-89 ADHD, 7-8, 69-79 adult crime level as principal component, 28–31 agonist, 146 American College Testing Program, 131amplitude variation, 10, 91-96, 101 - 114analysis of variance (ANOVA), 74-76 antagonist, 146 arc length as nonlatent trait, 140-143 parameterization by, 117-120 arthritis, 6, 10-11, 57, 62-63, 120-130 attention deficit hyperactive disorder, see ADHD average shape, see mean shape

basis expansions definition, 33–35

fitting to observed data, 35-36, 60, 106for bivariate regression function, 150for log density, 80 for periodic trend, 107 for periodic weight function, 178 for relative acceleration, 98 for univariate regression function, 151principal components as, 125 Berkeley Growth Study, 84, 98 bimodality of reaction time distributions, 72 biomechanics, 57, 65, 128, 170 bone shapes, 6-7, 10-11, 57-66, 115 - 130B-splines, definition, 34–35 canonical correlation analysis, 129 charting variable, 134 Choleski decomposition, 38

climate data, *see* weather data coarticulation, 145 condyle, 58 contemporary linear model, 149 coupled differential equations, 177 crime data, 3–4, 17–18 criminology, key issues, 4 cyclical spline interpolation, 60 density estimation, 80-81 Depression, the Great, 43, 48–49 depressor labii inferior muscle (DLI), 146 desistance as principal component, 28 definition, 17 differential equation model, 54, 162-165, 176-180 differential item functioning (DIF), 139difficulty of a test item, 135 discrete values turning into functional data, 19-21 discriminability of a test item, 135 discriminant analysis, 123-130 dynamic linear model for classification, 166-169 for handwriting, 162–165 for juggling, 176–180 general introduction, 158–160 eburnation, 57 economic data, see nondurable goods index electromyography, see EMG EM algorithm, 136 EMG, 146 evaluation point, 35 fair score, 139 false negative, 130 false positive, 130 feedforward model, 147 Fels Institute, 83 finite element method, 150 forcing function, 160, 162, 164, 178 F-test of functional linear models, 155 functional canonical correlation analysis, 129 functional data analysis definition, 15 functional discriminant analysis, see discriminant analysis

functional linear model, 148 functional linear regression, 148 functional mean, 21 functional observations independence assumptions, 3, 15 functional parameter of growth, 90 functional principal components analysis, see principal components analysis gender differences in growth, 94 in test performance, 138–140 goods index, see nondurable goods index growth functional parameter of, 90 growth spurt, 84 handwriting, 9-10, 101, 104-105,

157–170 harmonic motion, 159 harmonic process, 45 harmonics, *see* principal components analysis high desistance/low adult score (HDLA), 30–31 historical linear model, 149 homogeneous differential equation, 160

infrared emitting diode (IRED), 172 intercept function, 148, 160 intercondylar notch, 58 intrinsic metric, 141 irregular data, 36 item characteristic curves, 134 item response function, 134

jerk function, 162, 171 juvenile crime level as principal component, 28

kinetic energy, 45–46

landmark-free methods, 116–120 landmarks, 59–60, 115 latent trait, 134 least squares, penalized, see roughness penalty smoothing leaving-one-out error rate (for classification), 130, 166 life course data, 17–19 linear discriminant analysis, see discriminant analysis linear regression, functional, see functional linear regression lip acceleration, 146–147 loading vector, 23 log densities, 74 log odds-ratio function, 135-138 logistic model, 135–136 long-term desistance as principal component, 28 longitudinal data, 17 LOWESS smoother, 156 mean shape, 61, 120 mean, functional, 21 midspurt, 89 monotone curve differential equation for, 89-91 estimation by penalized likelihood, 98 - 99Mont Royal, 103 motoneuron, 145 motor control, 157, 171-172 multimodality, 76-77

neural control of speech, 145 nondurable goods index, 4–6, 41–56 nonhomogeneous differential equation, 160 nonlatent trait, *see* arc length nonparametric density estimation, *see* density estimation

odds ratio, 135 OPTOTRAK system, 172 osteoarthritis, *see* arthritis outlines, *see* shapes

paleopathology, 57 patellar groove, definition, 58 PCA, *see* principal components analysis penalized EM algorithm, 136 penalized maximum likelihood density estimation, 72, 80-81 see also roughness penalty smoothing periodic cubic spline, 60 phase variation, 10, 91-96, 101-114 phase-plane plot, 5, 44-47 physiological time, 92 polygonal basis, 34 potential energy, 45–46 prepubertal growth spurt, 87, 89, 94 - 96principal component scores, 23 principal components analysis algorithm for functional, 37–38 of densities, 76-79 of growth curves, 95-96 of log odds-ratio, 136-138 of shape variation, 61–65, 120–123 of warping function, 95-97 regularized, 26 scatter plots of components, 28-29 unsmoothed, 23-25, 61 varimax rotation, 63-65 visualizing components, 25, 27 principal differential analysis, 13, 163 probability density estimation, see density estimation Procrustes transformation, 61 pubertal growth spurt (PGS), 84

registration, 91-96, 101-114 regularization by restricting the basis, 181 of discriminant analysis, 125–127 see also roughness penalty smoothing relative acceleration, 90 resubstitution error rate (in classification) 130 roughness penalty smoothing based on fourth derivative, 55 for log density functions, 80 for mean function, 21 for monotone functions, 98–99 for warping functions, 113–114 in PCA context, 26 in terms of basis functions, 36

saltation, 86 scores, see principal component scores Second World War, 41, 42, 48, 50 shape variation principal components of, 61-65, 120 - 123shapes definition of mean, 61, 120 parameterization of, 59-60, 117 simple harmonic motion, 45, 159 smoothed sample mean, 21–23 algorithm for, 36-37 smoothing parameter choice cross-validation, 38-40 informed subjective choice, 23, 26, 55-56, 81, 91, 99, 113-114 space curve, 132 speech, 145 spline interpolation, 60 St. Lawrence River, 103 St. Peter's Church, Barton-upon-Humber, 57 stature acceleration of, 86-89 measurement of, 83-84 stock market crash, 41 system time, 102 tangential acceleration, 104-105, 173 tangential velocity, 173 temperature patterns, 105–110 three-parameter logistic model, 136 time deformation function, 108–109 time series, functional, 6 time warping, see registration triangular basis, 34, 150-151 two-parameter logistic model, 135 variance-stabilizing transformation, 21varimax rotation definition, 63-64 vector form, 67 varying coefficient model, 156 Vietnam War, 48 warping, see registration weather data, 105-110 Web site, 2

weight vector, 23