AD-A25	57 168	ION PA	GE	Form Approved OMB No 0704-0188
		age 1 hour per response including the time for review no instructions search no existing dota source ellollection of information. Send comments regarding this burden estimate or any other aspect of th rashington Haadquatters Services. Directorate for information. Operations and Feorias 1215 Jefferso nagement and Budget. Paperwork Reduction Project (0104-0188). Washington: DC 20503		
AGENCY USE ONLY (Leave bla	nk) 2. REPORT D. Septem	ATE iber 1992	3. REPORT TYPE AND Final 31 Ma	DATES COVERED y 91-31 Jul 92
. TITLE AND SUBTITLE			1	5. FUNDING NUMBERS
Conservation Laws for Elastic Systems with Dissipation				DAAL03-91-G-0185
AUTHOR(S)				
George Herrmann Tanios Honein				
PERFORMING ORGANIZATION	NAME(S) AND ADDR	ESS(ES)		8. PERFORMING ORGANIZATION
Stanford University				REPORT NUMBER
Stanford, CA 94505-4040				
9. SPONSORING 'MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSORING MONITORING
U. S. Army Research Office				AGENET REPORT NUMBER
P. O. Box 12211 Research Triangle Park, NC 27709-2211			1	ARO 28957.1-MA
The view, opinions author(s) and shoul position, policy, o 12a. DISTRIBUTION AVAILABILITY Approved for public	and/or findin d not be cons <u>r decision, u</u> STATEMENT release; dis	gs containe trued as an nless so de tribution u	ed in this report official Depart esignated by oth unlimited.	t are those of the tment of the Army er documentation. 12b. DISTRIBUTION CODE
The view, opinions author(s) and shoul <u>position, policy, o</u> 12a DISTRIBUTION AVA:LABILITY Approved for public	and/or findin d not be cons <u>r decision, u</u> STATEMENT release; dis	gs containe trued as an nless so de tribution u	ed in this report a official Depart esignated by oth anlimited.	t are those of the tment of the Army er documentation. 12b. DISTRIBUTION CODE
The view, opinions a author(s) and shoul position, policy, o 12a. DISTRIBUTION AVA:LABILITY Approved for public 13. ABSTRACT (Maximum 200 wo	and/or findin d not be cons r decision, u v STATEMENT release; dis	gs containe trued as an nless so de tribution u	ed in this report official Depart esignated by oth nulimited.	t are those of the tment of the Army <u>er documentation.</u> 125. DISTRIBUTION CODE
The view, opinions a author(s) and shoul position, policy, o 12a. DISTRIBUTION AVAILABILITY Approved for public 13. ABSTRACT (Maximum 200 wo Research was concern conservation laws for emphasis was put in and the viscoelastic equations. The fina	and/or findin d not be cons r decision, u r STATEMENT release; dis rds) ned with apply or viscoelasti constructing models consi al report summ	gs containe trued as an nless so de tribution u tribution u c bodies. conservation dered are t arizes the	ed in this report a official Depart esignated by oth anlimited. Atral Action met In contrast with an laws in the symptres of this therefore given results of this	t are those of the tment of the Army er documentation. 12b. DISTRIBUTION CODE hod in order to derive h previous attempts, pace-time domain in terms of rate effort.
The view, opinions is author(s) and shoul position, policy, o 12a. DISTRIBUTION AVAILABILITY Approved for public 13. ABSTRACT (Maximum 200 wo Research was concern conservation laws for emphasis was put in and the viscoelastic equations. The fina 922	and/or findin d not be cons <u>r decision, u</u> (STATEMENT release; dis rds) ned with apply or viscoelasti constructing models consi al report summ	gs containe trued as an nless so de tribution u c bodies. conservatio dered are t arizes the	ed in this report a official Depart esignated by oth anlimited. Antipart of the second second second contrast with the second se	t are those of the tment of the Army er documentation. 12b. DISTRIBUTION CODE hod in order to derive h previous attempts, pace-time domain in terms of rate effort. OCT 2 7, 1992 15 NUMBER OF PAGES
The view, opinions is author(s) and shoul position, policy, o 2a. DISTRIBUTION AVAILABILITY Approved for public 3. ABSTRACT (Maximum 200 wo Research was concern conservation laws for emphasis was put in and the viscoelastic equations. The fina 922 922 Conservation Laws, E Viscoelastic Bodies	and/or findin d not be cons <u>r decision, u</u> r STATEMENT release; dis rds) ned with apply or viscoelasti constructing models consi il report summ 8001	gs containe trued as an <u>nless so de</u> tribution u ing the Neu c bodies. conservation dered are t arizes the sarizes the	Action Method,	t are those of the tment of the Army er documentation. 12b. DISTRIBUTION CODE hod in order to derive h previous attempts, pace-time domain in terms of rate effort. OCT,2,7,1992 OCT,2,7,1992 15 NUMBER OF PAGES 11 16 PRICE CODE
The view, opinions a author(s) and shoul position, policy, o 22a. DISTRIBUTION AVAILABILITY Approved for public 13. ABSTRACT (Maximum 200 wo Research was concern conservation laws for emphasis was put in and the viscoelastic equations. The fina 922 922 Conservation Laws, E Viscoelastic Bodies 17. SECURITY CLASSIFICATION OF REPORT	and/or findin d not be cons r decision, u v STATEMENT release; dis rds) ned with apply or viscoelasti constructing models consi al report summ 88001 We want to system clawtic System 18 SECURITY CLA OF THIS PAGE	gs containe trued as an <u>nless so de</u> tribution u ing the Neu c bodies. conservation dered are t arizes the ss, Neutral	Action Method, 9. SECURITY CLASSIFIC. OF ABSTRACT	t are those of the tment of the Army er documentation. 12b. DISTRIBUTION CODE hod in order to derive h previous attempts, pace-time domain in terms of rate effort. OCT, 2, 7, 1992 OCT, 2, 7, 1992 II 16 PRICE CODE ATION 20 LIMITATION OF ABSTRA
The view, opinions a author(s) and shoul position, policy, o 2a. DISTRIBUTION AVAILABILITY Approved for public 3. ABSTRACT (Maximum 200 wo Research was concern conservation laws for emphasis was put in and the viscoelastic equations. The fina 922 	and/or findin d not be cons r decision, u v STATEMENT release; dis rds) ned with apply or viscoelasti constructing models consi al report summ 88001 New System lawtic System 18 SECURITY CLA OF THIS PAGE UNCLASSIF	gs containe trued as an nless so de tribution u ing the Neu c bodies. conservation dered are t arizes the s, Neutral SSIFICATION 1 TIED	Action Method, 9. SECURITY CLASSIFICD OF ABSTRACT UNCLASSIFIED	t are those of the tment of the Army er documentation. 12b. DISTRIBUTION CODE hod in order to derive h previous attempts, pace-time domain in terms of rate effort. OCT,2,7,1992 OCT,2,7,1992 IS NUMBER OF PAGES 11 16 PRICE CODE ATION 20 LIMITATION OF ABSTRA UL

•

· ^ .

Conservation Laws for Elastic Systems with Dissipation

Final report

Tanios Honein

and

George Herrmann

September 30, 1992

U.S. ARMY RESEARCH OFFICE

Grant # DAAL03-91-G-0185

Division of Applied Mechanics Department of Mechanical Engineering Stanford University Stanford, CA 94305-4040

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED

2000 - 20000 - 2000 - 2000 - 2000 - 2000 - 2

Acces	sion For	
NTIS	arta i	T
DIIC	128	
Unanz	forence	
JUNI	C. G. FICHLA	
By Distr	·** <u></u>	
A7)	. 2. 4. 1. 1. 4. 7 . 1	·
	parte de la com	3.2
Dist	1 La Car	
A-1		• • •

THE VIEWS, OPINIONS, AND/OR FINDINGS CONTAINED IN THIS REPORT ARE THOSE OF THE AUTHOR(S) AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION, POLICY, OR DECISION, UN-LESS SO DESIGNATED BY OTHER DOCUMENTATION.

•

A. STATEMENT OF THE PROBLEM STUDIED

1. Motivation

The importance of conservation laws is widely recognized in many fields of physics and mechanics. Conserved quantities such as mass, energy, momentum and angular momentum are fundamental in classical and modern physics. They provide insights into the behavior of various systems, ranging from dynamic of rigid bodies to continuum physics. In the theory of elasticity, conservation laws represented as path-independent integrals (such as \mathbf{J} , \mathbf{L} and M) have captured the interests of many researchers (see, for example, [7], [8], [9], [10] and [14]). These integrals contribute significantly to the study of fracture and defects. Conservation laws may also be useful in the improvement of algorithms in numerical solutions, the establishment of global existence and uniqueness theorems, the study of stability of solutions, the investigation of phase transformation and the reduction of the order of the governing equations for different systems considered. Since there are numerous applications for conservation laws, it is of considerable interest to develop methodologies for obtaining these laws and to apply them to various systems of practical interest, including dissipative systems.

2. General Background

Mathematically, a conservation law of a physical system with four independent variables, x, y, z and t, for example, is an equation of the form

Div
$$\mathbf{P} = D_x P_x + D_y P_y + D_z P_z + D_t P_t$$
 (1)

where $\mathbf{P} = (P_x, P_y, P_z, P_t)$ is a vector function that depends on the independent variables, the dependent variables and derivatives of the dependent variables of the system. Here D_i designates a total derivative operator. Physically, a conservation law states that the rate of change of P_t inside any spatial domain is equal to the net flux of the "currents" (P_x, P_y, P_z) through the surface of the domain. In the special case of systems with only one independent variable, conservation laws lead to quantities which are constant on the solution manifold.

Based on variational principles, Noether's first theorem provides a method to establish conservation laws for Lagrangian systems, i.e., for systems possessing a Lagrangian function and, therefore, governed by the associated Euler-Lagrange equations. While providing a condition for existence of conservation laws. Noether's theorem by itself does not offer an explicit method for constructing divergence-free expressions. However, if one combines Noether's theorem with Lie group theory, a systematic procedure for constructing conservation laws for Lagrangian systems becomes available [2], [15] and [16].

While providing a direct procedure for obtaining conservation laws, Noether's theorem is applicable only to Lagrangian systems. In 1921, Bessel-Hagen extended Noether's theorem by introducing the concept of divergence symmetries, however, his generalization also operated only in realm of Lagrangian systems

Several isolated attempts have previously been made with the aim of deriving conscivation laws for dissipation systems. Most of these start by trying to reduce the problem to a variational framework in which Noether's theorem is applicable. For example, Jiang [12] and [13] has developed conservation laws in viscoelastostatics and viscoelastodynamics by employing first Laplace's transform and then applying Noether's first theorem to the transformed equations. The conservation laws thus obtained involve convolution and when expressed in the time-domain they therefore depend on the total history of the material evolution. Later, Caviglia and Morro [3] applied the same procedure with the Bessel-Hagen extension of Noether's theorem to arrive at more general results. Soon afterwards [4], [5], they reexamined their results in view of a different procedure, called direct approach, which has been developed by Arens [1] in connection with Maxwell equations. The direct approach consists simply in integrating equation (1) subject to the constraint provided by the governing equation of the system.

In the realm of conservation laws for dissipative systems, it is worth mentioning the work of Djukic and Sutela [6] whose aim is to derive conservation laws for a finitedimensional dynamical systems. However, these authors provide necessary but not sufficient condition for the derivation of the conservation laws.

In a recent work [11], the present authors have proposed a novel approach, called the Neutral Action method, to derive, in a highly systematic fashion, conservation laws for dissipative systems governed by ordinary as well as partial differential equations. Moreover, the conditions provided for the existence of conservation laws are necessary as well as sufficient.

3. Statement of the problem

The problem consists in applying the Neutral Action method in order to derive conservation laws for viscoelastic bodies. In contrast with the previous attempts, emphasis will be put in constructing conservation laws in the space-time domain and the viscoelastic models considered are therefore given in terms of rate equations.

B. SUMMARY OF THE RESULTS ACHIEVED

The "Neutral Action" method is applicable to dissipative as well as nondissipative systems.

When specialized to Lagrangian systems, it reduces to Noether's first theorem as extended by Bessel-Hagen. By applying the "Neutral Action" method we were therefore able to obtain in a unified and systematic fashion all the aforementioned results. In addition, conservation laws in the space-time domain were derived for a one-dimensional viscoelastic bar. The models considered first were: Voigt, Kelvin and Maxwell elements. Then we considered the more general case where the constitutive equation is given by

$$Q(\partial_t)\sigma = R(\partial_t)\epsilon \tag{2}$$

where Q and R are polynomials in the operator ∂_t , and σ and ϵ designate the stress and strain, respectively. For the quasistatic case, we were able to show that the conservation laws are given by

$$P_{x} = -g'(\phi_{x})\phi_{t} + h(\phi_{x}) - C\left(\frac{\phi}{\phi_{x}} - x\right)$$
(3)

$$P_t = g(o_x) \tag{4}$$

where ϕ is defined by $\phi = R(\partial_t)u$, u being the displacement field and g and h are arbitrary functions, while C is an arbitrary constant. A prime designates differentiation with respect to the arguments.

By suitable choices of g and h, different conservation laws can be obtained. One of them is the statement of energy conservation.

A generalization to two-dimensional linear isotropic viscoelastic materials has been carried out for the Voigt model.

One of the conservation laws obtained is given by

$$P_{x} = A[\sigma_{xx}u_{,t} + \sigma_{xy}v_{,t} + u\sigma_{xx,t} + v\sigma_{xy,t}]$$
$$P_{y} = A[\sigma_{yy}v_{,t} + \sigma_{yy}u_{,t} + v\sigma_{yy,t} + u\sigma_{yy,t}]$$

$$P^{t} = -A \left[2W^{e} + (\alpha + 2\beta)(u_{,x}u_{,xt} + v_{,y}v_{,yt}) + \alpha(v_{,y}u_{,xt} + u_{,x}v_{,yt}) + \beta(u_{,y}u_{,yt} + v_{,x}v_{,xt} + v_{,x}u_{,yt} + v_{,y}v_{,xt}) \right]$$

.

•

where A is an arbitrary constant, W^e is the elastic strain energy and α , β are the coefficients of dissipation. One can verify that this conservation law is nothing but the statement of energy conservation.

C. LIST OF ALL PUBLICATIONS AND TECHNICAL REPORTS

Honein, T. and Herrmann, G., "Conservation Laws in Viscoelasticity", to appear.

D. LIST OF ALL PARTICIPATING SCIENTIFIC PERSONNEL

Dr. Tanics Honein $\frac{1}{4}$

Telephone:(415) 493-2138

and

Prof. George Herrmann

Telephone:(415) 723-4134

Division of Applied Mechanics Department of Mechanical Engineering Stanford University Stanford, CA 94305-4040

 $[\]dagger$ Currently a research scientist with Principia, P.O. Box 60958, Palo Alto, CA 94306-0958

Bibliography

- Arens, R., 1983, "The conserved currents for the Maxwellian field", Comm. Math. Phys., 90: 527-544.
- Bluman, G. W. and S. Kumei, 1989. Symmetries and Differential Equations, Springer-Verlag, New York.
- [3] Caviglia, G. and A. Morro, 1988. "A General Approach to Conservation Laws in Viscoelasticity", Acta Mechanica, 75: 255-267.
- [4] Caviglia, G. and A. Morro, 1990, "On the Generation of Conservation Laws in Viscoelasticity", Acta Mechanica, S1: 91-95.
- [5] Caviglia, G. and A. Morro, 1990, "Conservation Laws in Viscoelasticity", Quart. Appl. Math., 38(3): 503-516.
- [6] Djukic, D. S. and T. Sutela, 1984. "Integrating Factors and Conservation Laws for Nonconservative Dynamical Systems", Int. J. Non-linear Mech., 19: 331-339.
- [7] Eshelby, J. D., 1956, "The Continuum Theory of Lattice Defects". Solid State Physics,
 3: 79-144, F. Seitz and D. Turnbull eds., Academic Press, New York.
- [8] Fletcher, D. C., 1976, "Conservation Laws in Linear Elastodynamics", Arch. Rational Mech. Anal., 60: 329-353.
- [9] Günther, W., 1962, "Uber Einige Randintegrale der Elastomechanik", Abhandlungen der Branschweigischen Wissenschaftlichen Cesellschaft, 14: 53-72, Verlag Frieds. Vieweg, Branschweig.
- [10] Gurtin, M. E., 1979, "On a Path-Independent Integral for Thermoelasticity", Int. J. of Fracture, 15: R169- R170.
- [11] Honein, T. and G. Herrmann. 1991. "On Conservation Laws for dissipative systems". *Physics letters A*, 155, No. 4.5.
- [12] Jiang, Q., 1985, "On Conservation Laws in Viscoelastostatics". Acta Mechanica, 56: 219-227.
- [13] Jiang, Q., 1986, "Conservation Laws in Linear Viscoelastodynamics", J. of Elasticity, 16: 213-219.
- [14] Knowles, J. K. and E. Sternberg, 1972. "On a Class of Conservation Laws in Linearized

and Finite Elastostatics", Arch. Rational Mech. Anal., 44: 187-211.

- [15] Logan, J. D., 1977, Invariant Variational Principles. Academic Press, New York.
- [16] Olver, P. J., 1980, Applications of Lie Groups to Differential Equations, Springer-Verlag, New York.